



The Rising Tide in Boston: sea level rise and coastal flooding due to climate change

Ellen M. Douglas, PE, PG, PhD

Environmental, Earth and Ocean Sciences
University of Massachusetts, Boston



IPCC (2007)


“Warming of earth is now **unequivocal**”

- Global sea level rise (SLR) is accelerating:
 - 1.8 mm/yr average 1961-2003
 - 3.1 mm/yr average 1993-2003
- Arctic sea ice decreased 2.7% / decade since 1978
- Greenland and Antarctic Ice Sheets are thinning
- Mountain glaciers receding at unprecedented rates

“Sea level rise under warming is **inevitable**.”

“There is **high confidence** that neither adaptation nor mitigation alone can avoid all climate change impacts; however, they can complement each other and together can significantly reduce the risks...”


What have we already seen?



What might we expect?

- Katzman et al., 2008. Climatic Change, 19: 351-374.
 - Sea level rise in 2100: 30-55 cm (moderate ΔT) and 40-80 cm (high ΔT)
 - Ice melt contribution: 6.7-38.6cm (moderate ΔT) and 6.2-66.1 cm (high ΔT). **Largest uncertainty in Antarctic Ice Sheet response.**
- Pfeffer et al., 2008. Science, 321: 1340-1343.
 - Sea level rise in 2100: ~80 cm (most likely) to 2 m (physically possible but less plausible).
 - Ice melt contribution: ~30 cm (most likely) to 1.2 m (physically possible but less plausible).

What might we expect?



Current 100-yr coastal flood elevation could occur every 2-5 years.

Timeframes and uncertainties

- 2050 and 2100 typical timeframes.
 - Historical emissions affect mid-century.
 - Emissions scenarios affect late century.
 - **We still can have an impact.**
- SLR uncertainty due to:
 - Uncertainty in model and emissions scenarios
 - Ice melt contributions (Antarctic ice could increase OR decrease)
 - Interactions and unintended consequences.